

## Some Things a Baby with Normal Hearing Should Be Able to Do:

### Birth to 3 Months of Age

- Blinks or jumps when there is a sudden, loud sound
- Quiets or smiles when spoken to
- Makes sounds like “ohh,” “ahh”

### 3 to 6 Months of Age

- Looks for sounds with eyes
- Starts babbling (“baba,” “mama,” “gaga”)
- Uses many sounds, squeals and chuckles

### 6 to 9 Months of Age

- Turns head toward loud sounds
- Understands “no-no” or “bye-bye”
- Babbles, for example “baba,” “mama,” “gaga”

### 9 to 12 Months of Age

- Repeats simple words and sounds you make
- Correctly uses “mama” or “dada”
- Responds to singing or music
- Points to favorite toys and objects when asked

If you have questions about your baby’s hearing or this list, talk with your baby’s health professional.

## Where Else Can I Get Information?

- Visit [www.babyhearing.org](http://www.babyhearing.org)



American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™



141 Northwest Point Boulevard  
Elk Grove Village, Illinois 60007  
847/434-4000

[www.aap.org](http://www.aap.org)



# Can Your Baby Hear?

Your baby’s first hearing test.

# Can Your Baby Hear?

## Why should my baby's hearing be tested?

- Most babies can hear well at birth, but few do not.
- We test all babies to find the ones who may not be able to hear. Testing is the only way to know if your baby has hearing loss.
- It is important to find hearing loss as soon as possible. Babies whose hearing loss is not found early will have a hard time learning.
- If we find hearing loss early, there are many ways we can help your baby.

*Make sure your baby's hearing is tested before you leave the hospital.*

## What should I know about the test?

- The test is safe and painless and can be done in about 10 minutes.
- Most babies sleep through the test.
- You will get the test results before you leave the hospital.
- Be sure to tell the hospital the name of your baby's health professional or clinic so they can send them the results.



## Why do some babies need another hearing test?

- Some babies may need another test because:
  - fluid in the ear
  - noise in the testing room
  - baby was moving a lot
  - baby has hearing loss
- Most babies who need another test have normal hearing. Some will have hearing loss.
- If your baby does not pass the hearing test, make sure he or she is tested again as soon as possible.

## Can a Newborn Baby Pass the Hearing Test and Still Have Hearing Loss?

- Yes, some babies hear well enough to pass the first test, but lose their hearing later because of:
  - some illnesses
  - some medicines
  - some injuries
  - a family history of hearing loss
- Watch for signs of hearing loss as your baby grows.
- Use the list on the back cover as a guide.

